



Assumptions
ISA+15°C takeoff temperature
8 passengers, 2 crew (225 lbs. each)
M 0.80 cruise speed
3% airways allowance
ISA conditions en route
85% Boeing annual winds
NBAA IFR (200 NM) fuel reserve
Standard Configuration BOW

This range map is for discussion purposes only. Actual performance will be affected by ATC routing, weather, aircraft configuration and other factors. *Bombardier and Challenger 300 are trademarks of Bombardier Inc. or its subsidiaries



Assumptions
ISA+15°C takeoff temperature
8 passengers, 2 crew (225 lbs. each)
M 0.80 cruise speed
3% airways allowance
ISA conditions en route
85% Boeing annual winds
NBAA IFR (200 NM) fuel reserve
Standard Configuration BOW

This range map is for discussion purposes only. Actual performance will be affected by ATC routing, weather, aircraft configuration and other factors. *Bombardier and Challenger 300 are trademarks of Bombardier Inc. or its subsidiaries

Range from Madrid (LEMD)

CHALLENGER 350



Assumptions
ISA+15°C takeoff temperature
8 passengers, 2 crew (225 lbs. each)
M 0.80 cruise speed
3% airways allowance
ISA conditions en route
85% Boeing annual winds
NBAA IFR (200 NM) fuel reserve
Standard Configuration BOW

This range map is for discussion purposes only. Actual performance will be affected by ATC routing, weather, aircraft configuration and other factors. *Bombardier and Challenger 300 are trademarks of Bombardier Inc. or its subsidiaries

BOMBARDIER
the evolution of mobility